•	Application No.	Applicant(s)
Notice of Allowability	09/848,255	CLEMES ET AL.
	Examiner	Art Unit
	Christopher P Bruenjes	1772
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI- of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	plication. If not included will be mailed in due course. <b>THIS</b>
1. This communication is responsive to the amendment filed June 21, 2004.		
2. ☑ The allowed claim(s) is/are <u>1-5</u> .		
3. X The drawings filed on <u>01 May 2001</u> are accepted by the Examiner.		
4.  Acknowledgment is made of a claim for foreign priority un a)  All b)  Some* c)  None of the:  1.  Certified copies of the priority documents have  2.  Certified copies of the priority documents have  3.  Copies of the certified copies of the priority documents have  International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONMITHIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  5.  A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give  10.  CORRECTED DRAWINGS (as "replacement sheets") must  (a)  including changes required by the Notice of Draftsperson  1)  hereto or 2)  to Paper No./Mail Date	been received.  been received in Application No cuments have been received in this r  of this communication to file a reply of ENT of this application.  itted. Note the attached EXAMINER's as reason(s) why the oath or declarate t be submitted. on's Patent Drawing Review ( PTO-S	national stage application from the complying with the requirements  S AMENDMENT or NOTICE OF tion is deficient.
Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of		
each sheet. Replacement sheet(s) should be labeled as such in th	ne header according to 37 CFR 1.121(d	i).
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date	6. ⊠ Interview Summary ( Paper No./Mail Date	è <u>20040728</u> .
4. Texaminer's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Statemer 9. □ Other	nt of Reasons for Allowance

Application/Control Number: 09/848,255

Art Unit: 1772

## EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Larry Hume on July 27, 2004.

- 2. The application has been amended as follows:
  Claims 6-8 are cancelled.
- 3. The following is an examiner's statement of reasons for allowance: The closest prior art Razeto and Clemes fail to teach or suggest adding a weldable synthetic plastics material coating and a coating of a substance which, in the presence of moisture, generates sulfur dioxide to a paper substrate to form the second composite sheet.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher P Bruenjes whose telephone number is 571-272-1489. The examiner can normally be reached on Monday thru Friday from 8:00am-4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Harold Pyon can be reached on 571-272-1498. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Christopher P Bruenjes

Examiner

Art Unit 1772

CPB CPB

July 28, 2004

HAROLD PYON
SUPERVISORY PATENT EXAMINER